



# Quilt



Featuring the  
Forest Friends Collection  
by Audrey Jeanne Roberts  
and  
the Good Vibes Collection  
by Courtney Morgenstern

Shipping to stores January 2022

Finished Size: 48 ½ in x 48 ½ in (123.19 cm x 123.19 cm)

## Fabric Needed

### 3 Wishes Fabric® Forest Friends Collection

- 1 ¼ yds – Plaid Patch (18681-MLT-CTN-D)
- 7/8 yd – Plaid (18678-NVY-CTN-D) for Piecing and Binding
- ¾ yd – Scenic (18677-WHT-CTN-D)
- ¾ yd – Fox (18680-GRN-CTN-D)
- ¼ yd – Trees (18679-GRN-CTN-D)
- 2 ½ yds – Fox (18680-GRN-CTN-D) Backing-Directional

### 3 Wishes Fabric® Good Vibes Collection

- 1 ⅛ yds – Circle Dots (18660-WOW-CTN-D)

### Additional Supplies Needed:


- 56 in x 56 in (142.24 cm x 142.24 cm) Cotton batting
- 17 in x 27 in (43.18 cm x 68.58 cm) Lightweight fusible web
- Piecing and sewing thread
- Quilting and sewing supplies
- Even-feed foot (optional for quilting)

# Before You Begin


Read all instructions before beginning project. Do not pre-wash fabrics. Press fabrics with a dry iron on cotton setting before cutting. Use a ¼ in (6.35 mm) seam allowance and sew fabrics with right sides together (RST) unless otherwise noted. Press seams in the direction of the arrows. wof = width of fabric. Print Appliqué Templates at 100% scale.

## Cutting

Use a rotary cutter and ruler to cut the size and number of squares and rectangles from each fabric listed below. Set aside the remaining fabric for making the appliques.




**Plaid Patch – 18681-MLT-CTN-D (1 ¼ yds x wof / 114.3 cm x 106.68 cm)**  
Fussy Cut 4 – 4 ½ in x 40 ½ in (11.43 cm x 102.87 cm)




**Circle Dots – 18660-WOW-CTN-D (1 ⅛ yds x wof / 102.87 cm x 106.68 cm)**  
from the 3W Good Vibes Collection

- Cut 2 – 2 in x 37 ½ in (5.08 cm x 95.25 cm)
- Cut 2 – 2 in x 34 ½ in (5.08 cm x 87.63 cm)
- Cut 1 – 26 ½ in x 26 ½ in (67.31 cm x 67.31 cm)



**Plaid – 18678-NVY-CTN-D (7/8 yd x wof / 80.1 cm x 106.68 cm)**

- Cut 5 – 2 ½ in x wof (6.35 cm x 106.68 cm) for Binding
- Cut 2 – 2 in x 40 ½ in (5.08 cm x 102.87 cm)
- Cut 2 – 2 in x 37 ½ in (5.08 cm x 95.25 cm)
- Cut 1 – Lg. Triangle Appliqué
- Cut 1 – Triangle Base Appliqué
- Cut 1 – Sm. Triangle Appliqué




**Scenic – 18677-WHT-CTN-D** (¾ yd x wof / 68.58 cm x 106.68 cm)

Cut 4 – 4 ½ in x 26 ½ in (11.43 cm x 67.31 cm)

Cut 1 – Lg. Triangle Appliqué

Cut 1 – Sm. Triangle Appliqué




**Fox – 18680-GRN-CTN-D** (¾ yd x wof / 34.29 cm x 106.68 cm)

Cut 8 – 4 ½ in x 4 ½ in (11.43 cm x 11.43 cm)

Cut 1 – Lg. Triangle Appliqué

Cut 1 – Triangle Base Appliqué

Cut 1 – Sm. Triangle Appliqué



**Trees – 18679-GRN-CTN-D** (¼ yd x wof / 22.86 cm x 106.68 cm)

Cut 1 – Lg. Triangle Appliqué


Cut 1 – Triangle Base Appliqué

Cut 1 – Sm. Triangle Appliqué

Cut 1 – 8 in (20.32 cm) Circle Appliqué

## Sewing

1. Use the templates provided to trace the number of appliqué shapes on the paper side of fusible web as shown in Diagram A. Leave ¼ in (6.35 mm) between shapes and cut out ⅛ in (3.18 mm) outside the traced line.



**Lightweight fusible web** (17 in x 27 in / 43.18 cm x 68.58 cm)

Cut 1 – 8 in (20.32 cm) Circle Appliqué


Cut 3 – Triangle Base Appliqué

Cut 4 – Lg. Triangle Appliqué


Cut 4 – Sm. Triangle Appliqué

2. Refer to Diagram B to place the fusible web appliqué pieces on the **wrong** side of each fabric, adhesive side down. Fuse according to the manufacturer's directions. Cut out on the traced lines. Remove paper backing.


Dia. B




**Plaid – 18678-NVY-CTN-D**  
 Cut 1 – Lg. Triangle Appliqué  
 Cut 1 – Triangle Base Appliqué  
 Cut 1 – Sm. Triangle Appliqué



**Fox – 18680-GRN-CTN-D**  
 Cut 1 – Lg. Triangle Appliqué  
 Cut 1 – Triangle Base Appliqué  
 Cut 1 – Sm. Triangle Appliqué




**Trees – 18679-GRN-CTN-D**  
 Cut 1 – Lg. Triangle Appliqué  
 Cut 1 – Triangle Base Appliqué  
 Cut 1 – Sm. Triangle Appliqué  
 Cut 1 – 8 in (20.32 cm) Circle Appliqué




**Scenic – 18677-WHT-CTN-D**  
 Cut 1 – Lg. Triangle Appliqué  
 Cut 1 – Sm. Triangle Appliqué

3. Refer to Diagram C to position the appliqué pieces right side up on the right side of the Circle Dots square (26 ½ in x 26 ½ in / 67.31 cm x 67.31 cm). Center the triangle tree shapes on top of each other as shown. **Note:** Check that appliqué pieces are at least ¾ in (19.1 mm) away from edges and check orientation of designs. Fuse to the right side of the fabric according to the manufacturer's directions. Use a coordinating thread and small buttonhole or zig-zag stitch to secure and finish the edges. The Center Appliqué Block should measure 26 ½ in x 26 ½ in (67.31 cm x 67.31 cm).


Dia. C




4. Place a Fox square (4 ½ in x 4 ½ in / 11.43 cm x 11.43 cm) on each side of a Scenic rectangle (4 ½ in x 26 ½ in / 11.43 cm x 67.31 cm) as shown in Diagram D. Pin RST, sew and press to make the Scenic Top Border (4 ½ in x 34 ½ in / 11.43 cm x 87.63 cm). Repeat to make the Scenic Bottom Border. **Note:** Check orientation of designs.



5. Place a Fox square (4 ½ in x 4 ½ in / 11.43 cm x 11.43 cm) on each side of a Plaid Patch Fussy Cut rectangle (4 ½ in x 40 ½ in / 11.43 cm x 102.87 cm) as shown in Diagram E. Pin RST, sew and press to make the Plaid Patch Top Border (4 ½ in x 48 ½ in / 11.43 cm x 123.19 cm). **Note:** Check orientation of designs.



6. Place a Fox square (4 ½ in x 4 ½ in / 11.43 cm x 11.43 cm) on each side of a Plaid Patch Fussy Cut rectangle (4 ½ in x 40 ½ in / 11.43 cm x 102.87 cm) as shown in Diagram F. Pin RST, sew and press to make the Plaid Patch Bottom Border (4 ½ in x 48 ½ in / 11.43 cm x 123.19 cm). **Note:** Check orientation of designs.



7. Refer to Diagram G to place the Borders around the Center Appliqué Block (26 ½ in x 26 ½ in / 67.31 cm x 67.31 cm). Sew each Border RST in the order listed. Pin matching center, seams and ends. Press seams as shown. Measure at each step to ensure the next border will fit. If one border is a little larger than the border it is being sewn to, pin well to ease the fullness and place the fullness on the bottom while sewing. Finished Quilt Top should measure 48 ½ in x 48 ½ in (123.19 cm x 123.19 cm).

**Scenic Border**

Sides: 2 – Scenic rectangles (4 ½ in x 26 ½ in / 11.43 cm x 67.31 cm)  
 Top and Bottom: Scenic Top and Bottom Borders (4 ½ in x 34 ½ in / 11.43 cm x 87.63 cm)  
 Quilt Top - 34 ½ in x 34 ½ in (87.63 cm x 87.63 cm)

**Circle Dots Border**

Top and Bottom: 2 – Circle Dots strips (2 in x 34 ½ in / 5.08 cm x 87.63 cm)  
 Sides: 2 – Circle Dots strips (2 in x 37 ½ in / 5.08 cm x 95.25 cm)  
 Quilt Top - 37 ½ in x 37 ½ in (95.25 cm x 95.25 cm)


**Plaid Border**

Top and Bottom: 2 – Plaid strips (2 in x 37 ½ in / 5.08 cm x 95.25 cm)  
 Sides: 2 – Plaid strips (2 in x 40 ½ in / 5.08 cm x 102.87 cm)  
 Quilt Top - 40 ½ in x 40 ½ in (102.87 cm x 102.87 cm)

**Plaid Patch Border**

Sides: 2 – Plaid Patch Fussy Cut rectangles (4 ½ in x 40 ½ in / 11.43 cm x 102.87 cm)  
 Top and Bottom: Plaid Patch Top and Bottom Borders (4 ½ in x 48 ½ in / 11.43 cm x 123.19 cm).

Dia. G




48 ½ in x 48 ½ in (123.19 cm x 123.19 cm)

# Finishing

- Remove the selvages from the Fox Backing fabric.  
**Note:** Check orientation of designs. Cut one piece 40 ¼ in x 56 in (102.24 cm x 142.24 cm) and two pieces 16 ¼ in x 28 ¼ in (41.28 cm x 71.76 cm). Pin RST and sew the two smaller pieces on the short edges; press. Pin the two sections RST and sew along the long edges as shown in Diagram H. Press the seam open or to one side. The Backing should measure 56 in x 56 in (142.24 cm x 142.24 cm).
- Press finished Quilt Top and Backing. Tape the Backing, **wrong** side up, to a firm surface. Layer Batting and Quilt Top (right side up). Baste the layers together with safety pins. Quilt as desired.
- Once quilting is complete, square up corners and edges, trimming excess Backing and Batting even with the Quilt Top.


Dia. H



Backing  
56 in x 56 in (142.24 cm x 142.24 cm)

- Binding** – Follow Diagram I to make the Plaid Binding. Remove selvages and sew the short ends of the five 2 ½ in (6.35 cm) x wof strips RST end to end at a 45° angle to make one continuous strip; press seams open. Press one short end ¼ in (6.35 mm) to the **wrong** side. Fold in half lengthwise with **wrong** sides together; press. Leaving a 2 in (5.08 cm) tail on the folded end, place cut edges of folded Binding even with the edge of the Quilt Top and sew, mitering the corners. Overlap ends, trim any excess and finish sewing the Binding. Fold Binding over to back and hand stitch.

Dia. I




## Finished Care Instructions

Machine wash in cold water; gentle cycle. Do not bleach. **Tip:** Before drying, check for fabric dyes that may have run. If fabric dyes run, rewash and rinse using a color catcher to absorb loose dye. Lay flat to dry or tumble dry low.

**Appliqué  
Template (100% Scale)**  
Trace on paper side of fusible web.

Scale:  
1 square =  
1 in x 1 in


**8 in Circle Template**  
Cut 1 – Trees





**Appliqué  
Template (100% Scale)**  
Trace on paper side of fusible web.

Scale:  
1 square =  
1 in x 1 in



**Triangle Base Template**  
Cut 1 – Trees  
Cut 1 – Plaid  
Cut 1 – Fox

**Appliqué  
Template (100% Scale)**  
Trace on paper side of fusible web.

Scale:  
1 square =  
1 in x 1 in

**Lg. Triangle Template**

- Cut 1 – Trees
- Cut 1 – Plaid
- Cut 1 – Fox
- Cut 1 – Scenic

**Sm. Triangle Template**

- Cut 1 – Trees
- Cut 1 – Plaid
- Cut 1 – Fox
- Cut 1 – Scenic

